

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	17	313/402-408.ccls. and (wedge near3 ratio)	US-PGPUB; USPAT	OR	ON	2005/10/01 21:51
L3	2	"5416379".pn. "4623818".pn.	US-PGPUB; USPAT	OR	ON	2005/10/01 21:52
L4	1	("5416379".pn. "4623818".pn.) and thick\$5	US-PGPUB; USPAT	OR	ON	2005/10/01 21:53
L5	1	("5416379".pn. "4623818".pn.) and (thick\$5 thin\$4)	US-PGPUB; USPAT	OR	ON	2005/10/01 21:59
L6	1	"20040263054"	US-PGPUB; USPAT	OR	ON	2005/10/01 21:59
S1	218	(313/479,477R,461.ccls. 220/2.1R, 2.1A.ccls.) and ((inner internal inside) with (curvature))	US-PGPUB; USPAT	OR	ON	2005/09/30 12:54
S2	295	((cathode picture) near3 tube) and ((inner internal inside) with (curvature))	EPO; JPO; DERWENT	OR	ON	2005/09/29 21:18
S3	144	(313/479,477R,461.ccls. 220/2.1R, 2.1A.ccls.) and ((inner internal inside) with (curvature)) and ((outer extrnal outside) with flat)	US-PGPUB; USPAT	OR	ON	2005/09/29 21:41
S4	251	((inner internal inside) with (curvature)) and ((outer extrnal outside) with flat)	EPO; JPO; DERWENT	OR	ON	2005/09/30 12:55
S5	85	((inner internal inside) with (curvature)) and ((outer extrnal outside) with flat) and ((cathode picture) near3 tube)	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:14
S6	17	"1035558"	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:02
S7	6	"1089913"	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:02
S8	7	"1089313"	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:02
S9	98	((inner internal inside) with (curvature)) and ((outer external outside) with flat) and ((cathode picture) near3 tube)	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:57
S10	102	((inner internal interior inside) with (curvature)) and ((outer external exterior outside) with (planar flat)) and ((cathode picture) near3 tube)	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:21
S11	17	S10 not S5	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:16

S12	2	((inner internal interior inside) with (curvature)) and ((outer external exterior outside) with (planar flat)) and ((cathode picture) near3 tube) and "313"/\$.ccls.	EPO; JPO; DERWENT	OR	ON	2005/09/29 22:21
S13	287	((inner internal interior inside) with (curvature)) and ((outer external exterior outside) with (planar flat)) and ((cathode picture) near3 tube) and "313"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/30 11:02
S14	41	((inner internal interior inside) with (curvature)) and ((outer external exterior outside) with (planar flat)) and ((cathode picture) near3 tube) and 220/2.1A,2.1R.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/30 11:55
S15	0	"51047365"	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:02
S16	4	"5147365"	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:02
S17	2	"01047365"	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:02
S18	137	((inner internal interior inside) with (curvature)) and (flattened falttning planar flat) and ((cathode picture) near3 tube)	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:56
S19	98	((inner internal inside) with (curvature)) and ((outer external outside) with flat) and ((cathode picture) near3 tube)	EPO; JPO; DERWENT	OR	ON	2005/09/30 11:59
S20	39	S18 not S19	EPO; JPO; DERWENT	OR	ON	2005/09/30 12:06
S24	1	"20030127967"	US-PGPUB; USPAT	OR	ON	2005/09/30 12:13
S25	230	(313/479,477R,461.ccls. 220/2.1R, 2.1A.ccls.) and ((inner internal interior inside) with (curvature))	US-PGPUB; USPAT	OR	ON	2005/09/30 12:54
S26	204	(313/479,477R,461.ccls. 220/2.1R, 2.1A.ccls.) and ((inner internal interior inside) with (curvature)) and (planar flat flat\$4)	US-PGPUB; USPAT	OR	ON	2005/09/30 14:26
S29	14	("4136300"   "4741315"   "4881004"   "4985658"   "5216321"   "5606217"   "5964364").PN. OR ("6333594").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/30 14:53

S30	13	(US-4786840-\$ or US-5416379-\$ or US-6133686-\$ or US-6333594-\$ or US-6414425-\$ or US-6593685-\$ or US-6621206-\$).did. or (EP-1258904-\$ or EP-825632-\$ or EP-926697-\$).did. or (JP-2002313255-\$).did. or (EP-860852-\$ or JP-11273585-\$). did.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/01 13:29
S31	13	S30 and (plane flat\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/01 14:34
S32	23	313/477R.ccls. and (effective with diagonal with "20")	US-PGPUB; USPAT	OR	ON	2005/10/01 14:37
S33	23	313/477R.ccls. and (effective with diagonal with ("20" ("20" near3 inches)))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:38
S34	1	313/477R.ccls. and (effective with diagonal with ("20" near3 inches)))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:39
S35	9	313/477R.ccls. and (effective with diagonal with dimension)	US-PGPUB; USPAT	OR	ON	2005/10/01 14:41
S36	231	"313"/\$.ccls. and (effective near3 diagonal) and (CRT ((cathode picture) near3 tube))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:42
S37	25	"313"/\$.ccls. and ((effective near3 diagonal) with "20") and (CRT ((cathode picture) near3 tube))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:54
S38	54	"313"/\$.ccls. and ((effective near3 diagonal) with diameter) and (CRT ((cathode picture) near3 tube))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:54
S39	79	"313"/\$.ccls. and ((effective near3 diagonal) with (dimension diameter)) and (CRT ((cathode picture) near3 tube))	US-PGPUB; USPAT	OR	ON	2005/10/01 14:54
S40	1	"5416379".pn.	US-PGPUB; USPAT	OR	ON	2005/10/01 15:26
S41	63	313/402-407.ccls. and Ak	US-PGPUB; USPAT	OR	ON	2005/10/01 15:28
S42	14	313/402-407.ccls. and (Fe near3 Ni near3 Co)	US-PGPUB; USPAT	OR	ON	2005/10/01 21:44